

99063069261000, 99063069261000

Systems using organic solvents above the threshold values: Display commissioning

Heruntergeladen am 01.07.2025

<https://fimportal.de/xzufi-services/133491955/L100027>

Modul	Sachverhalt
Leistungsschlüssel	99063069261000, 99063069261000
Leistungsbezeichnung I	Systems using organic solvents above the threshold values: Display commissioning
Leistungsbezeichnung II	
Typisierung	3b - Bundesaufsichtsverwaltung: Regelung, Land: Ausführungsvorschriften, Kommune: Vollzug
Quellredaktion	Mecklenburg-Vorpommern
Freigabestatus Katalog	fachlich freigegeben (gold)
Freigabestatus Bibliothek	fachlich freigegeben (silber)
Begriffe im Kontext	
Leistungstyp	Leistungsobjekt mit Verrichtung
Leistungsgruppierung	Immissionsschutz (063)
Verrichtungskennung	Entgegennahme (261)
SDG-Informationsbereich	Gesundheits- und Sicherheitsvorschriften im

Modul	Sachverhalt
	Zusammenhang mit verschiedenen Arten von Tätigkeiten, einschließlich der Risikovermeidung, Information und Ausbildung
Lagen Portalverbund	
Einheitlicher Ansprechpartner	Nein
Fachlich freigegeben am	14.02.2025
Fachlich freigegeben durch	Ministry for Climate Protection, Agriculture, Rural Areas and the Environment Mecklenburg-Western Pomerania
Handlungsgrundlage	https://www.gesetze-im-internet.de/bimschv_31_2024/31._BlmSchV.pdf https://www.gesetze-im-internet.de/bimschv_31_2024/31._BlmSchV.pdf https://www.gesetze-im-internet.de/bimschg/ https://www.gesetze-im-internet.de/bimschv_4_2013/ https://www.landesrecht-mv.de/bsmv/document/jlr-ImSchZustVMV2015rahmen https://www.gesetze-im-internet.de/bimschg/
Teaser	Do you want to commission a system that does not require a permit and uses solvents above the threshold values? Then you must notify the responsible immission control authority in advance.
Volltext	If you wish to commission an installation that does not require a permit with a solvent consumption above the threshold values, you must notify the responsible immission control authority in advance. The obligation to notify applies to all installations that do not require a permit and whose solvent consumption exceeds the threshold values in Annex I of the 31st BImSchV. The threshold value is determined by the activity according to Annex II of the 31st BImSchV.
Erforderliche Unterlagen	Complete display with the relevant data for the system.
Voraussetzungen	You wish to commission a system whose solvent consumption exceeds the threshold values in Annex I of the 31st BImSchV.
Kosten	There are no costs.

Modul	Sachverhalt
Verfahrensablauf	• You submit your notification with the relevant data for the installation to the authority responsible for you. • The competent authority checks your notification. • If necessary, the competent authority will request further documents from you.
Bearbeitungsdauer	There is no processing deadline.
Frist	You must submit the notification prior to the intended commissioning of the system.
weiterführende Informationen	
Hinweise	You are committing an administrative offense if you do not submit the notification or do not submit it correctly, completely or on time.
Rechtsbehelf	None. The administrative service is a real act against which no legal remedy is possible.
Kurztext	• Installations not requiring a permit for the use of organic solvents above the threshold values, notification of commissioning Acceptance • Installations that do not require a permit and whose solvent consumption exceeds the threshold values in Annex I of the 31st BImSchV must be notified before commissioning • Activity according to Annex II of the 31st BImSchV is decisive for threshold values • Notification must contain the relevant data for the installation • Responsible: competent immission control authority • Responsible in Mecklenburg-Vorpommern: Immission control authorities of the districts, independent cities and large towns belonging to the district
Ansprechpunkt	Competent authority
Zuständige Stelle	Competent authority Immission control authorities of the districts, independent cities and large cities belonging to districts

Modul	Sachverhalt
Formulare	
Ursprungsportal	Systems using organic solvents above the threshold values: Display commissioning, Anlagen mit Verwendung organischer Lösemittel oberhalb der Schwellenwerte: Inbetriebnahme anzeigen